

ENGLISH TRANSLATION OF LETTER NO. 154 DT. 30.05.2022

Ref. No.: 154

Dated: 30.05.2022

From:  
Civil Surgeon  
Patiala

To  
DAV Public School  
Bhupindra Road  
Patiala

Sub: **Analysis Report of Water Sample.**

Reference to above said subject, report of Water Sample taken on 18.05.2022 by State Public Health Laboratory, Punjab as per the office of Director Food and Drug, Distt. Mohali letter no. SPHL/Report/Pb./2022/110 dated 23.05.2022 is as under:

S. No.	Details of sample	Drinkable/Not Drinkable	Reasons for Not Drinkable
1.	DAV Public School, Bhupindra Road, Patiala	Drinkable	--

District Asstt. Health Officer

O/o Civil Surgeon

Patiala

  
Principal  
D.A.V. Public School  
PATIALA.



ਨੰ. 154

ਮਿਤੀ: 30/05/2022

ਵੱਲੋ:

ਸਿਵਲ ਸਰਜਨ,  
ਪਟਿਆਲਾ

ਵੱਲ:

ਪ੍ਰਿੰਸੀਪਲ  
ਡੀ. ਏ. ਵੀ. ਸਕੂਲ  
ਭੁਪਿੰਦਰਾ ਰੋਡ  
ਪਟਿਆਲਾ

ਵਿਸ਼ਾ: ਪਾਣੀ ਦੇ ਸੈਪਲ ਦੀ ਵਿਸ਼ਲੇਸ਼ਣ ਰਿਪੋਰਟ

ਉਪਰੋਕਤ ਵਿਸ਼ੇ ਤੇ ਇਸ ਦਫਤਰ ਵੱਲੋਂ ਮਿਤੀ: 18/05/2022 ਨੂੰ ਭਰੇ ਗਏ ਪਾਣੀ ਦੇ ਸੈਪਲ ਦੀ ਰਿਪੋਰਟ ਸਟੇਟ ਪਬਲਿਕ ਹੈਲਥ ਲੈਬਾਰਟਰੀ ਪੰਜਾਬ ਦਫਤਰ ਡਾਇਰੈਕਟਰ ਫੂਡ ਅਤੇ ਡਰਗ, ਖਰੜ, ਜ਼ਿਲਾ ਮੋਹਾਲੀ ਪੰਜਾਬ ਦੇ ਪੱਤਰ ਨੰ. ਸ.ਪ.ਹ.ਲ(ਰਿਪੋਰਟ)/ਪ/2022/110, ਮਿਤੀ-23/05/2022 ਅਨੁਸਾਰ ਹੇਠ ਲਿਖੀ ਹੈ।

ਲੜੀ ਨੰ.	ਸੈਪਲ ਦਾ ਵੇਰਵਾ	ਪੀਣਯੋਗ/ਅਯੋਗ	ਅਯੋਗ ਹੋਣ ਦੇ ਕਾਰਣ ਜਾਂ ਹੋਰ ਟਿਪਣੀ
1	ਡੀ. ਏ. ਵੀ. ਸਕੂਲ ਭੁਪਿੰਦਰਾ ਰੋਡ ਪਟਿਆਲਾ	ਪੀਣਯੋਗ	

ਸਹਾਇਕ ਸਿਹਤ ਅਫਸਰ  
Dist. Assistant Health Officer  
O/o Civil Supply Patiala  
ਮਨ



No. 155

Date: 30/05/2022

From


Civil Surgeon,  
Patiala.

To

Principal  
DAV School  
Bhupindra Road  
Patiala

Subject : Water & Sanitation Certificate.

The Inspection of DAV School, Bhupindra Road, Patiala was conducted on 18/05/2022. The total number of students in the school is \_\_\_\_\_. On inspection the team found that the air circulation is satisfactory & the school is fully air cooled. The no. of urinal & latrines for males and females are adequate, neat and clean. The source of water supply is the submersible pump's water amply and the general sanitation is satisfactory from environmental and health point of view there is no objection in running the above said DAV School, Bhupindra Road, Patiala. This certificate is valid for one year.

  
Assistant Health Officer,  
O/o Civil Surgeon, Patiala.  
mm